

# WhatsApp Business Account Solutions List API | Developer Documentation

## WhatsApp Business Account Solutions List API

Copy for LLM

[View as Markdown](#)

Version

API for retrieving Multi-Partner Solutions associated with a WhatsApp Business Account (WABA). This endpoint allows authorized applications to retrieve a list of Multi-Partner Solutions that are associated with a specific WhatsApp Business Account.

---

### GET `/{{Version}}/{{WABA-ID}}/solutions`

Retrieve a paginated list of Multi-Partner Solutions associated with the specified WhatsApp Business Account. This endpoint supports field selection and cursor-based pagination for efficient data retrieval.

Use Cases:

Discover available Multi-Partner Solutions for business onboarding

Monitor solution status and availability across your WABA

Retrieve solution ownership and permission details

Filter solutions by specific fields or status requirements

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Caching:

Solution listings can be cached for short periods, but status information may change frequently during transitions. Implement appropriate cache invalidation strategies.

## Pagination:

This endpoint supports cursor-based pagination using `limit`, `after`, and `before` parameters. Use the `paging` object in responses to navigate through result sets.

# Request Syntax

Try it

Select language

---

Select status code

---

## Header Parameters

---

### User-Agentstring

The user agent string identifying the client software making the request.

### Authorizationstring·required

Bearer token for API authentication. This should be a valid access token obtained through the appropriate OAuth flow or system user token.

## Path Parameters

---

### Versionstring·required

Graph API version to use for this request. Determines the API behavior and available features.

### WABA-IDstring·required

WhatsApp Business Account ID for which to retrieve associated Multi-Partner Solutions.

This ID can be found in your WhatsApp Business Manager or through WABA management APIs.

## Query Parameters

---

### fieldsstring

Comma-separated list of fields to include in the response. If not specified, default fields will be returned (`name`, `status`, `status_for_pending_request`).

Available fields: `id`, `name`, `status`, `status_for_pending_request`, `owner_app`, `owner_permissions`

### limitinteger [min: 1, max: 100]

Maximum number of solutions to return per page. Default is 25, maximum is 100.

### afterstring

Cursor for pagination. Returns solutions after this cursor position.

Use the cursor from the previous response's `paging.cursors.after` field.

### beforestring

Cursor for pagination. Returns solutions before this cursor position.

Use the cursor from the previous response's `paging.cursors.before` field.

## Responses

---

Retrieve a paginated list of Multi-Partner Solutions associated with the specified WhatsApp Business Account. This endpoint supports field selection and cursor-based pagination for efficient data retrieval.

## Use Cases:

Discover available Multi-Partner Solutions for business onboarding

Monitor solution status and availability across your WABA

Retrieve solution ownership and permission details

Filter solutions by specific fields or status requirements

## Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

## Caching:

Solution listings can be cached for short periods, but status information may change frequently during transitions. Implement appropriate cache invalidation strategies.

## Pagination:

This endpoint supports cursor-based pagination using `limit`, `after`, and `before` parameters. Use the `paging` object in responses to navigate through result sets.

200

Successfully retrieved Multi-Partner Solutions list

Content Type: application/json

Schema: SolutionsList

Show child attributes

---

## SolutionsList

---

dataarray of WhatsAppBusinessSolution·required

Array of Multi-Partner Solutions associated with the WABA

Show child attributes

---

data[]WhatsAppBusinessSolution

Multi-Partner Solution details and configuration

Show child attributes

---

idstring·required

Unique identifier for the Multi-Partner Solution

---

namestring·required

Human-readable name of the Multi-Partner Solution

---

statusWhatsAppBusinessSolutionStatus·required

Current effective status of the Multi-Partner Solution

Show child attributes

---

status\_for\_pending\_requestWhatsAppBusinessSolutionPendingStatus·required

Status of any pending solution status transition requests

---

owner\_appApplicationNode  
Meta application that owns the Multi-Partner Solution  
Show child attributes

---

idstring  
Unique identifier for the Meta application

---

namestring  
Name of the Meta application

---

owner\_permissionsarray of WhatsAppBusinessAccountPermissionTask  
List of WhatsApp Business Account permissions granted to the solution owner  
Show child attributes

---

owner\_permissions[]WhatsAppBusinessAccountPermissionTask  
Granular permission tasks for WhatsApp Business Account access

---

pagingPaging  
Pagination information for cursor-based pagination  
Show child attributes

---

cursorobject  
Show child attributes

---

beforestring  
Cursor pointing to the start of the page of data that has been returned

---

afterstring  
Cursor pointing to the end of the page of data that has been returned

---

previousstring  
Graph API endpoint URL for the previous page of data

---

nextstring  
Graph API endpoint URL for the next page of data  
400  
Bad Request - Invalid parameters or malformed request  
Content Type: application/json  
Schema: GraphAPIError  
Show child attributes

---

## GraphAPIError

---

errorobject·required  
Show child attributes

---

messagestring·required  
Human-readable error message

---

typestring·required  
Error category type

---

codeinteger·required  
Numeric error code

---

error\_subcodeinteger  
More specific error subcode when available

---

fbtrace\_idstring  
Unique identifier for debugging and support requests with Meta

---

is\_transientboolean  
Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring  
User-friendly error title for display purposes

---

error\_user\_msgstring  
User-friendly error message for display purposes  
401  
Unauthorized - Invalid or missing access token  
Content Type: application/json  
Schema: GraphAPIError  
Show child attributes

---

## GraphAPIError

---

errorobject·required  
Show child attributes

---

messagestring·required

Human-readable error message

---

typestring·required  
Error category type

---

codeinteger·required  
Numeric error code

---

error\_subcodeinteger  
More specific error subcode when available

---

fbtrace\_idstring  
Unique identifier for debugging and support requests with Meta

---

is\_transientboolean  
Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring  
User-friendly error title for display purposes

---

error\_user\_msgstring  
User-friendly error message for display purposes  
403  
Forbidden - Insufficient permissions or access denied  
Content Type: application/json  
Schema: GraphAPIError  
Show child attributes

---

GraphAPIError

---

errorobject·required  
Show child attributes

---

messagestring·required  
Human-readable error message

---

typestring·required  
Error category type

---

codeinteger·required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

404

Not Found - WABA ID does not exist or is not accessible

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject·required

Show child attributes

---

messagestring·required

Human-readable error message

---

typestring·required

Error category type

---

codeinteger·required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

422

Unprocessable Entity - Request parameters are valid but cannot be processed

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject.required

Show child attributes

---

messagestring.required

Human-readable error message

---

typestring.required

Error category type

---

codeinteger.required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

429

Too Many Requests - Rate limit exceeded

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject-required

Show child attributes

---

messagestring-required

Human-readable error message

---

typestring-required

Error category type

---

codeinteger-required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

500

Internal Server Error - Unexpected server error

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject·required

Show child attributes

---

messagestring·required

Human-readable error message

---

typestring·required

Error category type

---

codeinteger·required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

Select language

---

Select status code

---

## Authentication

| Scheme     | Type        | Location              |
|------------|-------------|-----------------------|
| bearerAuth | HTTP Bearer | Header: Authorization |

## Usage Examples

bearerAuth:

Include `Authorization: Bearer your-token-here` in request headers

## Global Authentication Requirements

All endpoints require:

bearerAuth

---

Revision #4

Created 2026-04-01 15:37:37 UTC by New Admin

Updated 2026-04-05 18:51:32 UTC by New Admin