

WhatsApp Business - Assigned WhatsApp Business Accounts API | Developer Documentation

WhatsApp Business - Assigned WhatsApp Business Accounts API

Copy for LLM

[View as Markdown](#)

Version

API for retrieving WhatsApp Business Accounts that have been assigned to a specific user. This endpoint allows apps to retrieve WhatsApp Business Accounts that are assigned to specific users.

GET `/v{Version}/users/{User-ID}/assigned_whatatsapp_business_accounts`

Retrieve WhatsApp Business Accounts that have been assigned to a specific user. This endpoint provides information about account assignments, permissions, and current status corresponding to the `GraphAssignedWhatsAppBusinessAccountsEdge` node.

Use Cases:

Retrieve all WhatsApp Business Accounts assigned to a user

Check user permissions for specific accounts
Monitor account assignment status and changes
Validate user access before performing business operations

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Caching:

Assignment information can be cached for short periods, but permissions and status may change frequently. Implement appropriate cache invalidation strategies.

Request Syntax

Try it

Select language

Select status code

Header Parameters

User-Agentstring

The user agent string identifying the client software making the request.

Authorizationstring·required

Bearer token for API authentication. This should be a valid access token obtained through the appropriate OAuth flow or system user token.

Path Parameters

Versionstring·required

Graph API version to use for this request. Determines the API behavior and available features.

User-IDstring·required

The user ID for whom to retrieve assigned WhatsApp Business Accounts.

This must be a valid user ID within your solution or partnership.

Query Parameters

fieldsstring

Comma-separated list of fields to include in the response. If not specified, default fields will be returned (id, name, status).

Available fields: id, name, status, assignment_date, permissions, business_id, phone_numbers

limitinteger [min: 1, max: 100]

Maximum number of accounts to return per page. Default is 25, maximum is 100.

afterstring

Cursor for pagination. Use this to get the next page of results.

beforestring

Cursor for pagination. Use this to get the previous page of results.

Responses

Retrieve WhatsApp Business Accounts that have been assigned to a specific user. This endpoint provides information about account assignments, permissions, and current status corresponding to the GraphAssignedWhatsAppBusinessAccountsEdge node.

Use Cases:

Retrieve all WhatsApp Business Accounts assigned to a user

Check user permissions for specific accounts

Monitor account assignment status and changes

Validate user access before performing business operations

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Caching:

Assignment information can be cached for short periods, but permissions and status may change frequently. Implement appropriate cache invalidation strategies.

200

Successfully retrieved assigned WhatsApp Business Accounts

Content Type: application/json

Schema: AssignedAccountsResponse

Show child attributes

AssignedAccountsResponse

dataarray of AssignedWhatsAppBusinessAccount·required

List of assigned WhatsApp Business Accounts

Show child attributes

data[]AssignedWhatsAppBusinessAccount

WhatsApp Business Account assigned to a user

Show child attributes

idstring·required

Unique identifier for the WhatsApp Business Account

namestring·required

Display name of the WhatsApp Business Account

statusWhatsAppBusinessAccountStatus·required

Current status of the WhatsApp Business Account

assignment_datestring (date-time)

Date and time when the account was assigned to the user

permissionsarray of WhatsAppBusinessAccountPermission

List of permissions granted to the user for this account
Show child attributes

permissions[]WhatsAppBusinessAccountPermission
Permission level for WhatsApp Business Account access

business_idstring
Business ID that owns this WhatsApp Business Account

phone_numbersarray of PhoneNumberInfo
Phone numbers associated with this WhatsApp Business Account
Show child attributes

phone_numbers[]PhoneNumberInfo
Phone number information for WhatsApp Business Account
Show child attributes

idstring
Phone number ID

display_phone_numberstring
Formatted phone number for display

verified_namestring
Verified business name for this phone number

statusOne of "CONNECTED", "DISCONNECTED", "MIGRATED", "PENDING", "DELETED"
Status of the phone number

pagingPagingInfo
Pagination information for the response
Show child attributes

cursorobject
Show child attributes

beforestring
Cursor for the previous page

afterstring

Cursor for the next page

nextstring

URL for the next page of results

previousstring

URL for the previous page of results

400

Bad Request - Invalid parameters or malformed request

Content Type: application/json

Schema: GraphAPIError

Show child attributes

GraphAPIError

errorobject.required

Show child attributes

messagestring.required

Human-readable error message

typestring.required

Error category type

codeinteger.required

Numeric error code

error_subcodeinteger

More specific error subcode when available

fbtrace_idstring

Unique identifier for debugging and support requests with Meta

is_transientboolean

Indicates whether this error is temporary and the request should be retried

error_user_titlestring

User-friendly error title for display purposes

error_user_msgstring

User-friendly error message for display purposes

401

Unauthorized - Invalid or missing access token

Content Type: application/json

Schema: GraphAPIError

Show child attributes

GraphAPIError

errorobject·required

Show child attributes

messagestring·required

Human-readable error message

typestring·required

Error category type

codeinteger·required

Numeric error code

error_subcodeinteger

More specific error subcode when available

fbtrace_idstring

Unique identifier for debugging and support requests with Meta

is_transientboolean

Indicates whether this error is temporary and the request should be retried

error_user_titlestring

User-friendly error title for display purposes

error_user_msgstring

User-friendly error message for display purposes

403

Forbidden - Insufficient permissions or access denied

Content Type: application/json

Schema: GraphAPIError

Show child attributes

GraphAPIError

errorobject·required
Show child attributes

messagestring·required
Human-readable error message

typestring·required
Error category type

codeinteger·required
Numeric error code

error_subcodeinteger
More specific error subcode when available

fbtrace_idstring
Unique identifier for debugging and support requests with Meta

is_transientboolean
Indicates whether this error is temporary and the request should be retried

error_user_titlestring
User-friendly error title for display purposes

error_user_msgstring
User-friendly error message for display purposes
404
Not Found - User ID does not exist or is not accessible
Content Type: application/json
Schema: GraphAPIError
Show child attributes

GraphAPIError

errorobject·required
Show child attributes

messagestring·required

Human-readable error message

typestring·required
Error category type

codeinteger·required
Numeric error code

error_subcodeinteger
More specific error subcode when available

fbtrace_idstring
Unique identifier for debugging and support requests with Meta

is_transientboolean
Indicates whether this error is temporary and the request should be retried

error_user_titlestring
User-friendly error title for display purposes

error_user_msgstring
User-friendly error message for display purposes
422
Unprocessable Entity - Request parameters are valid but cannot be processed
Content Type: application/json
Schema: GraphAPIError
Show child attributes

GraphAPIError

errorobject·required
Show child attributes

messagestring·required
Human-readable error message

typestring·required
Error category type

codeinteger·required

Numeric error code

error_subcodeinteger

More specific error subcode when available

fbtrace_idstring

Unique identifier for debugging and support requests with Meta

is_transientboolean

Indicates whether this error is temporary and the request should be retried

error_user_titlestring

User-friendly error title for display purposes

error_user_msgstring

User-friendly error message for display purposes

429

Too Many Requests - Rate limit exceeded

Content Type: application/json

Schema: GraphAPIError

Show child attributes

GraphAPIError

errorobject·required

Show child attributes

messagestring·required

Human-readable error message

typestring·required

Error category type

codeinteger·required

Numeric error code

error_subcodeinteger

More specific error subcode when available

fbtrace_idstring

Unique identifier for debugging and support requests with Meta

is_transientboolean

Indicates whether this error is temporary and the request should be retried

error_user_titlestring

User-friendly error title for display purposes

error_user_msgstring

User-friendly error message for display purposes

500

Internal Server Error - Unexpected server error

Content Type: application/json

Schema: GraphAPIError

Show child attributes

GraphAPIError

errorobject.required

Show child attributes

messagestring.required

Human-readable error message

typestring.required

Error category type

codeinteger.required

Numeric error code

error_subcodeinteger

More specific error subcode when available

fbtrace_idstring

Unique identifier for debugging and support requests with Meta

is_transientboolean

Indicates whether this error is temporary and the request should be retried

error_user_titlestring

User-friendly error title for display purposes

error_user_msgstring

User-friendly error message for display purposes

Select language

Select status code

Authentication

Scheme	Type	Location
bearerAuth	HTTP Bearer	Header: Authorization

Usage Examples

bearerAuth:

Include `Authorization: Bearer your-token-here` in request headers

Global Authentication Requirements

All endpoints require:

bearerAuth

Revision #5

Created 2026-04-01 15:36:42 UTC by New Admin

Updated 2026-04-06 17:52:17 UTC by New Admin