

WhatsApp Business Multi-Partner Solutions - Solution Details API | Developer Documentation

WhatsApp Business Multi-Partner Solutions - Solution Details API

Copy for LLM

[View as Markdown](#)

Version

API for retrieving Multi-Partner Solution details and configuration information.

This endpoint allows solution partners to retrieve comprehensive information about their Multi-Partner Solutions, including status, permissions, and ownership details.

GET /{Version}/{Solution-ID}

Retrieve comprehensive details about a Multi-Partner Solution, including its current status, pending status transitions, ownership information, and granted permissions.

Use Cases:

Monitor solution lifecycle and status changes

Verify solution configuration before business onboarding

Check pending approval requests and status transitions

Retrieve solution ownership and permission details

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Caching:

Solution details can be cached for short periods, but status information may change frequently during transitions. Implement appropriate cache invalidation strategies.

Request Syntax

Try it

Select language

Select status code

Header Parameters

User-Agentstring

The user agent string identifying the client software making the request.

Authorizationstring·required

Bearer token for API authentication. This should be a valid access token obtained through the appropriate OAuth flow or system user token.

Path Parameters

Versionstring·required

Graph API version to use for this request. Determines the API behavior and available features.

Solution-IDstring·required

Your Multi-Partner Solution ID. This ID is provided when you create the solution and can be found in your Partner Dashboard or through solution management APIs.

Query Parameters

fieldsstring

Comma-separated list of fields to include in the response. If not specified, default fields will be returned (name, status, status_for_pending_request).

Available fields: id, name, status, status_for_pending_request, owner_app, owner_permissions

Responses

Retrieve comprehensive details about a Multi-Partner Solution, including its current status, pending status transitions, ownership information, and granted permissions.

Use Cases:

Monitor solution lifecycle and status changes

Verify solution configuration before business onboarding

Check pending approval requests and status transitions

Retrieve solution ownership and permission details

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Caching:

Solution details can be cached for short periods, but status information may change frequently during transitions. Implement appropriate cache invalidation strategies.

200

Successfully retrieved Multi-Partner Solution details

Content Type: application/json

Schema: WhatsAppBusinessSolution

Show child attributes

WhatsAppBusinessSolution

idstring·required

Unique identifier for the Multi-Partner Solution

namestring·required

Human-readable name of the Multi-Partner Solution

statusWhatsAppBusinessSolutionStatus·required

Current effective status of the Multi-Partner Solution

Show child attributes

status_for_pending_requestWhatsAppBusinessSolutionPendingStatus·required

Status of any pending solution status transition requests

owner_appApplicationNode

Meta application that owns the Multi-Partner Solution

Show child attributes

idstring

Unique identifier for the Meta application

namestring

Name of the Meta application

owner_permissionsarray of WhatsAppBusinessAccountPermissionTask

List of WhatsApp Business Account permissions granted to the solution owner

Show child attributes

owner_permissions[]WhatsAppBusinessAccountPermissionTask

Granular permission tasks for WhatsApp Business Account access

400

Bad Request - Invalid parameters or malformed request

Content Type: application/json

Schema: GraphAPIError

Show child attributes

GraphAPIError

errorobject·required
Show child attributes

messagestring·required
Human-readable error message

typestring·required
Error category type

codeinteger·required
Numeric error code

error_subcodeinteger
More specific error subcode when available

fbtrace_idstring
Unique identifier for debugging and support requests with Meta

is_transientboolean
Indicates whether this error is temporary and the request should be retried

error_user_titlestring
User-friendly error title for display purposes

error_user_msgstring
User-friendly error message for display purposes
401
Unauthorized - Invalid or missing access token
Content Type: application/json
Schema: GraphAPIError
Show child attributes

GraphAPIError

errorobject·required
Show child attributes

messagestring·required
Human-readable error message

typestring·required
Error category type

codeinteger·required
Numeric error code

error_subcodeinteger
More specific error subcode when available

fbtrace_idstring
Unique identifier for debugging and support requests with Meta

is_transientboolean
Indicates whether this error is temporary and the request should be retried

error_user_titlestring
User-friendly error title for display purposes

error_user_msgstring
User-friendly error message for display purposes
403
Forbidden - Insufficient permissions or access denied
Content Type: application/json
Schema: GraphAPIError
Show child attributes

GraphAPIError

errorobject·required
Show child attributes

messagestring·required
Human-readable error message

typestring·required
Error category type

codeinteger·required
Numeric error code

error_subcodeinteger
More specific error subcode when available

fbtrace_idstring
Unique identifier for debugging and support requests with Meta

is_transientboolean
Indicates whether this error is temporary and the request should be retried

error_user_titlestring
User-friendly error title for display purposes

error_user_msgstring
User-friendly error message for display purposes
404
Not Found - Solution ID does not exist or is not accessible
Content Type: application/json
Schema: GraphAPIError
Show child attributes

GraphAPIError

errorobject·required
Show child attributes

messagestring·required
Human-readable error message

typestring·required
Error category type

codeinteger·required
Numeric error code

error_subcodeinteger
More specific error subcode when available

fbtrace_idstring

Unique identifier for debugging and support requests with Meta

is_transientboolean

Indicates whether this error is temporary and the request should be retried

error_user_titlestring

User-friendly error title for display purposes

error_user_msgstring

User-friendly error message for display purposes

422

Unprocessable Entity - Request parameters are valid but cannot be processed

Content Type: application/json

Schema: GraphAPIError

Show child attributes

GraphAPIError

errorobject.required

Show child attributes

messagestring.required

Human-readable error message

typestring.required

Error category type

codeinteger.required

Numeric error code

error_subcodeinteger

More specific error subcode when available

fbtrace_idstring

Unique identifier for debugging and support requests with Meta

is_transientboolean

Indicates whether this error is temporary and the request should be retried

error_user_titlestring
User-friendly error title for display purposes

error_user_msgstring
User-friendly error message for display purposes
429
Too Many Requests - Rate limit exceeded
Content Type: application/json
Schema: GraphAPIError
Show child attributes

GraphAPIError

errorobject.required
Show child attributes

messagestring.required
Human-readable error message

typestring.required
Error category type

codeinteger.required
Numeric error code

error_subcodeinteger
More specific error subcode when available

fbtrace_idstring
Unique identifier for debugging and support requests with Meta

is_transientboolean
Indicates whether this error is temporary and the request should be retried

error_user_titlestring
User-friendly error title for display purposes

error_user_msgstring
User-friendly error message for display purposes

500

Internal Server Error - Unexpected server error

Content Type: application/json

Schema: GraphAPIError

Show child attributes

GraphAPIError

errorobject.required

Show child attributes

messagestring.required

Human-readable error message

typestring.required

Error category type

codeinteger.required

Numeric error code

error_subcodeinteger

More specific error subcode when available

fbtrace_idstring

Unique identifier for debugging and support requests with Meta

is_transientboolean

Indicates whether this error is temporary and the request should be retried

error_user_titlestring

User-friendly error title for display purposes

error_user_msgstring

User-friendly error message for display purposes

Select language

Select status code

Authentication

Scheme	Type	Location
bearerAuth	HTTP Bearer	Header: Authorization

Usage Examples

bearerAuth:
Include Authorization: Bearer your-token-here in request headers

Global Authentication Requirements

All endpoints require:
bearerAuth