

# WhatsApp Business Pre-Verified Phone Number Partners API | Developer Documentation

## WhatsApp Business Pre-Verified Phone Number Partners API

Copy for LLM

[View as Markdown](#)

Version

API for retrieving partner businesses associated with a WhatsApp Business Pre-Verified Phone Number.

This endpoint allows authorized applications to retrieve the list of partner businesses that have been granted access to a specific pre-verified phone number.

---

### GET `/v{Version}/pre-verified-phone-number/{Pre-Verified-Phone-Number-ID}/partners`

Retrieve the list of partner businesses that have been granted access to a specific WhatsApp Business Pre-Verified Phone Number.

Use Cases:

- Monitor partner business relationships and access permissions

- Verify which businesses have access to shared pre-verified phone numbers

- Retrieve partner business information for operational purposes

- Validate partnership configurations before business operations

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Caching:

Partner information can be cached for moderate periods, but partnership relationships may change. Implement appropriate cache invalidation strategies.

### Request Syntax

Try it

Select language

---

Select status code

---

Header Parameters

---

User-Agentstring

The user agent string identifying the client software making the request.

Authorizationstring·required

Bearer token for API authentication. This should be a valid access token obtained through the appropriate OAuth flow or system user token.

Path Parameters

---

Versionstring·required

Graph API version to use for this request. Determines the API behavior and available features.

Pre-Verified-Phone-Number-IDstring·required

Your Pre-Verified Phone Number ID. This ID is provided when the pre-verified phone number is created and can be found in your WhatsApp Business Account management interface.

Query Parameters

---

fieldsstring

Comma-separated list of fields to include in the response. If not specified, default fields will be returned (id, name). Available fields: id, name, created\_time, updated\_time, verification\_status, primary\_page, timezone\_id, two\_factor\_type

limitinteger [min: 1, max: 100]

Maximum number of partner businesses to return per page. Default is 25, maximum is 100.

afterstring

Cursor for pagination. Use the 'after' cursor from a previous response to get the next page.

beforestring

Cursor for pagination. Use the 'before' cursor from a previous response to get the previous page.

Responses

---

Retrieve the list of partner businesses that have been granted access to a specific WhatsApp Business Pre-Verified Phone Number.

Use Cases:

Monitor partner business relationships and access permissions

Verify which businesses have access to shared pre-verified phone numbers

Retrieve partner business information for operational purposes

Validate partnership configurations before business operations

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Caching:

Partner information can be cached for moderate periods, but partnership relationships

may change. Implement appropriate cache invalidation strategies.

200

Successfully retrieved partner businesses for the pre-verified phone number

Content Type: application/json

Schema: WhatsAppBusinessPreVerifiedPhoneNumberPartnersResponse

Show child attributes

---

WhatsAppBusinessPreVerifiedPhoneNumberPartnersResponse

---

dataarray of BusinessPartner·required

List of partner businesses with access to the pre-verified phone number

Show child attributes

---

data[]BusinessPartner

Business entity that has partner access to the pre-verified phone number

Show child attributes

---

idstring·required

Unique identifier for the partner business

---

namestring·required

Name of the partner business

---

created\_timestring (date-time)

ISO 8601 timestamp when the business was created

---

updated\_timestring (date-time)

ISO 8601 timestamp when the business was last updated

---

verification\_statusOne of "not\_verified", "pending", "verified"

Business verification status

---

primary\_pagestring

Primary Facebook Page ID associated with the business

---

timezone\_idinteger

Timezone identifier for the business location

---

two\_factor\_typeOne of "none", "admin\_required"

Two-factor authentication method configured for the business

---

pagingCursorPaging  
Cursor-based pagination information  
Show child attributes

---

cursorsobject  
Show child attributes

---

beforestring  
Cursor pointing to the start of the page of data that has been returned

---

afterstring  
Cursor pointing to the end of the page of data that has been returned

---

nextstring  
Graph API endpoint URL for the next page of results

---

previousstring  
Graph API endpoint URL for the previous page of results  
400  
Bad Request - Invalid parameters or malformed request  
Content Type: application/json  
Schema: GraphAPIError  
Show child attributes

---

GraphAPIError

---

errorobject·required  
Show child attributes

---

messagestring·required  
Human-readable error message

---

typestring·required  
Error category type

---

codeinteger·required  
Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

401

Unauthorized - Invalid or missing access token

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject.required

Show child attributes

---

messagestring.required

Human-readable error message

---

typestring.required

Error category type

---

codeinteger.required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

403

Forbidden - Insufficient permissions or access denied

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject.required

Show child attributes

---

messagestring.required

Human-readable error message

---

typestring.required

Error category type

---

codeinteger.required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

404

Not Found - Pre-Verified Phone Number ID does not exist or is not accessible

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject.required

Show child attributes

---

messagestring.required

Human-readable error message

---

typestring.required

Error category type

---

codeinteger.required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

422

Unprocessable Entity - Request parameters are valid but cannot be processed

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

## GraphAPIError

---

errorobject·required  
Show child attributes

---

messagestring·required  
Human-readable error message

---

typestring·required  
Error category type

---

codeinteger·required  
Numeric error code

---

error\_subcodeinteger  
More specific error subcode when available

---

fbtrace\_idstring  
Unique identifier for debugging and support requests with Meta

---

is\_transientboolean  
Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring  
User-friendly error title for display purposes

---

error\_user\_msgstring  
User-friendly error message for display purposes  
429  
Too Many Requests - Rate limit exceeded  
Content Type: application/json  
Schema: GraphAPIError  
Show child attributes

---

## GraphAPIError

---

errorobject·required  
Show child attributes

---

messagestring·required

Human-readable error message

---

typestring·required  
Error category type

---

codeinteger·required  
Numeric error code

---

error\_subcodeinteger  
More specific error subcode when available

---

fbtrace\_idstring  
Unique identifier for debugging and support requests with Meta

---

is\_transientboolean  
Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring  
User-friendly error title for display purposes

---

error\_user\_msgstring  
User-friendly error message for display purposes  
500  
Internal Server Error - Unexpected server error  
Content Type: application/json  
Schema: GraphAPIError  
Show child attributes

---

GraphAPIError

---

errorobject·required  
Show child attributes

---

messagestring·required  
Human-readable error message

---

typestring·required  
Error category type

---

codeinteger·required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

Select language

---

Select status code

---

## Authentication

Scheme	Type	Location
bearerAuth	HTTP Bearer	Header: Authorization

## Usage Examples

bearerAuth:

Include `Authorization: Bearer your-token-here` in request headers

## Global Authentication Requirements

All endpoints require:

bearerAuth

---

Revision #4

Created 2026-04-01 15:39:07 UTC by New Admin

Updated 2026-04-05 18:51:43 UTC by New Admin